(Revision of ASME PTC 25-2008)

Pressure Relief Devices

Performance Test Codes

AN AMERICAN NATIONAL STANDARD



ASME PTC 25-2014

(Revision of ASME PTC 25-2008)

Pressure Relief Devices

Performance Test Codes

AN AMERICAN NATIONAL STANDARD



Date of Issuance: June 17, 2014

This Code will be revised when the Society approves the issuance of a new edition.

ASME issues written replies to inquiries concerning interpretations of technical aspects of this Code. Interpretations are published on the Committee Web page and under go.asme.org/InterpsDatabase. Periodically certain actions of the ASME PTC Committee may be published as Code Cases. Code Cases are published on the ASME Web site under the PTC Committee Page at go.asme.org/PTCcommittee as they are issued.

Errata to codes and standards may be posted on the ASME Web site under the Committee Pages to provide corrections to incorrectly published items, or to correct typographical or grammatical errors in codes and standards. Such errata shall be used on the date posted.

The PTC Committee Page can be found at go.asme.org/PTCcommittee. There is an option available to automatically receive an e-mail notification when errata are posted to a particular code or standard. This option can be found on the appropriate Committee Page after selecting "Errata" in the "Publication Information" section.

ASME is the registered trademark of The American Society of Mechanical Engineers.

This code or standard was developed under procedures accredited as meeting the criteria for American National Standards. The Standards Committee that approved the code or standard was balanced to assure that individuals from competent and concerned interests have had an opportunity to participate. The proposed code or standard was made available for public review and comment that provides an opportunity for additional public input from industry, academia, regulatory agencies, and the public-at-large.

ASME does not "approve," "rate," or "endorse" any item, construction, proprietary device, or activity.

ASME does not take any position with respect to the validity of any patent rights asserted in connection with any items mentioned in this document and does not undertake to insure anyone utilizing a standard against liability for infringement of any applicable letters patent, nor assumes any such liability. Users of a code or standard are expressly advised that determination of the validity of any such patent rights, and the risk of infringement of such rights, is entirely their own responsibility.

Participation by federal agency representative(s) or person(s) affiliated with industry is not to be interpreted as government or industry endorsement of this code or standard.

ASME accepts responsibility for only those interpretations of this document issued in accordance with the established ASME procedures and policies, which precludes the issuance of interpretations by individuals.

No part of this document may be reproduced in any form, in an electronic retrieval system or otherwise, without the prior written permission of the publisher.

The American Society of Mechanical Engineers Two Park Avenue, New York, NY 10016-5990

Copyright © 2014 by THE AMERICAN SOCIETY OF MECHANICAL ENGINEERS All rights reserved Printed in U.S.A.

CONTENTS

| Notice | | vi |
|------------|---|------|
| Foreword . | | vii |
| | Roster | viii |
| | dence With the PTC Committee | ix |
| - | on | X |
| Part I | General | 1 |
| | | |
| Section 1 | Object and Scope | 1 |
| 1-1 | Object | 1 |
| 1-2 | Scope | 1 |
| 1-3 1-4 | Measurement Uncertainty | 1 |
| 1-4 | General | 1 |
| Section 2 | Definitions and Description of Terms | 3 |
| 2-1 | Purpose | 3 |
| 2-2 | General | 3 |
| 2-3 | Types of Devices | 3 |
| 2-4 | Parts of Pressure Relief Devices | 4 |
| 2-5 | Dimensional Characteristics — Pressure Relief Valves | 5 |
| 2-6 | Dimensional Characteristics — Nonreclosing Pressure Relief Devices | 7 |
| 2-7 | Operational Characteristics of Pressure Relief Devices | 7 |
| 2-8 | Description of Terms | 8 |
| Part II | Flow Capacity Testing | 11 |
| Section 3 | Guiding Principles | 11 |
| 3-1 | Items on Which Agreement Shall Be Reached | 11 |
| 3-2 | Qualification of Person Supervising the Test | 11 |
| 3-3 | Responsibility of Person Supervising the Test | 11 |
| 3-4 | Test Apparatus | 11 |
| 3-5 | Preliminary Tests | 11 |
| 3-6 | Spare Instruments | 11 |
| 3-7 | Calibration of Instruments | 11 |
| 3-8 | Metering Sections | 12 |
| 3-9 | Flow Resistance Test Rigs | 12 |
| 3-10 | Adjustments During Tests | 14 |
| 3-11 | Records and Test Results | 14 |
| 3-12 | Measurement Uncertainty | 14 |
| Section 4 | Instruments and Methods of Measurements | 15 |
| 4-1 | General | 15 |
| 4-2 | Fluid Conditions, Test Conditions, and Instrumentation | 15 |
| 4-3 | Testing With Steam, Pressure Relief Device Discharging to Atmospheric Pressure | 18 |
| 4-4 | Testing With Gas or Air, Pressure Relief Device Discharging to Atmospheric Pressure | 23 |
| 4-5 | Testing With Liquids, Pressure Relief Devices Discharging to Atmospheric Pressure | 24 |
| 4-6 | Testing With Steam, With Back Pressure Above Atmospheric | 25 |
| 4-7 | Testing With Gas or Air, With Back Pressure Above Atmospheric | 27 |
| 4-8 | Testing With Liquids, With Back Pressure Above Atmospheric | 29 |

| 4-9 | Testing With Gas or Air, Nonreclosing Pressure Relief Device Flow Resistance Method | 30 |
|----------------------|--|----------|
| 4-10 | Testing Nonreclosing Pressure Relief Devices to Determine a Set | |
| | Pressure for Incompressible Fluids | 31 |
| Section 5 5-1 | • | 34 34 |
| 5-2 | Review of Instrument Readings | 34 |
| 5-3 | 1 | 34 |
| 5-4 | , and the second | 34 |
| 5-5 | Capacity Calculations | 34 |
| Section 6 | , , | 48 |
| 6-1 | | 48 |
| 6-2 | | 48 40 |
| 6-3 6-4 | J . | 48 48 |
| 6-5 | 1 | 48 48 |
| 6-6 | 1 | 48 |
| 6-7 | U | 49 |
| 6-8 | | 49 |
| 6-9 | Part VIII: Graphical Presentation of Back-Pressure Test Results | 49 |
| Part III | In-Service and Bench Testing | 54 |
| Section 7 | | 54 |
| Section 7 7-1 | G | 54 54 |
| 7-1 7-2 | | 54 |
| 7-2 7-3 | 3 | 54 |
| 7-4 | 1 7 | 54 |
| 7-5 | • • | 54 |
| 7-6 | | 54 |
| 7-7 | Calibration of Instruments | 54 |
| 7-8 |) | 55 |
| 7-9 | | 55 |
| 7-10 | Measurement Uncertainty | 55 |
| Section 8 | | 56 |
| 8-1 | | 56 |
| 8-2 | | 56 - |
| 8-3 8-4 | O . | 59 <1 |
| 8-5 | 0 | 61 61 |
| | | |
| Section 9 | , | 62 62 |
| 9-1 | | 62 63 |
| 9-2 9-3 | | 62 62 |
| 9-3 | Computation of Operational Characteristics | 62 |
| Section 10 | · · | 63 |
| 10-1 | | 63 63 |
| 10-2 10-3 | | 63 63 |
| 10-3 | J | os 63 |
| 10-4 | • | 63 |
| 10-6 | - | 63 |
| 10-7 | <u> </u> | 63 |
| 10-8 | Part VII: Supporting Data | 63 |

| Figures | |
|-------------|--|
| 2-5-1 | Typical Curtain Areas of Pressure Relief Valves |
| 3-9-1 | Recommended Arrangements for Testing Nonreclosing Pressure Relief Device Flow Resistance |
| 4-2.3-1 | Recommended Arrangements for Testing Devices With Atmospheric Back Pressure — Flowmeter Test Arrangement |
| 4-2.10-1 | Recommended Internal Contours of Nozzles, Fittings, Adapter, and Reducers Between Test Vessel and Test Device |
| 4-2.10-2 | Recommended Arrangements for Testing Devices With Atmospheric Back Pressure — Weighed-Condensate Test Arrangement |
| 4-2.10-3 | Recommended Arrangements for Testing Devices With Atmospheric Back Pressure — Weighed-Water Test Arrangement |
| 4-2.10-4 | Recommended Discharge Arrangements for Testing Devices With Superimposed Back Pressure |
| 4-2.10-5 | Recommended Arrangement for Testing Nonreclosing Pressure Relief Devices in Combination With Pressure Relief Valves |
| 4-6-1 | Recommended Discharge Arrangements for Testing Devices With Built-Up Back Pressure |
| 4-10-1 | Recommended Arrangements for Conducting Opening Test on Nonreclosing Pressure Relief Devices With Incompressible Fluids |
| 8-2.2-1 | Recommended Arrangement for Testing Valves With Compressible Fluids |
| 8-2.2-2 | Recommended Arrangement for Testing Valves With Incompressible Fluids |
| 8-3.2-1 | Pilot-Operated Pressure Relief Valve Field Test Accessory |
| Forms | |
| 5-5.1 | Pressure Relief Device Tested With Steam and Water: Observed Data |
| F F 2 | and Computed Results — Weighed-Water Method |
| 5-5.2 | Pressure Relief Device Tested With Steam: Observed Data and Computed Results — Flowmeter Method |
| 5-5.3 | Pressure Relief Device Tested With Liquids: Observed Data and Computed Results — Flowmeter Method |
| 5-5.4 | Pressure Relief Device Tested With Air or Gas: Observed Data and Computed Results — Flowmeter Method |
| 5-5.5 | Pressure Relief Device Tested With Air or Gas: Observed Data and Computed Results — Sonic-Flow Method |
| 5-5.6 | Pressure Relief Device Tested With Fuel Gas: Observed Data and Computed Results — Flowmeter Method |
| 5-5.7 | Nonreclosing Pressure Relief Device Tested With Air: Observed Data and Computed Results — Flow Resistance |
| 6-5.1 | Pressure and Relief Valve Performance Test Report: Steam |
| 6-5.2 | Pressure and Relief Valve Performance Test Report: Liquids and Water |
| 6-5.3 | Pressure and Relief Valve Performance Test Report: Air, Gas, or Fuel Gas |
| 6-5.4 | Nonreclosing Pressure Relief Device Performance Test Report: Air, Gas, or Fuel Gas |
| Mandatory A | Appendices |
| I | SI (Metric) Units and Conversion Factors |
| II | Examples of Determining Flow Rate Uncertainties |
| Nonmandato | ory Appendix |
| A | References |