ASME B73.1-2012

[Revision and Consolidation of ASME B73.1-2001 (R2007) and ASME B73.5M-1995 (R2007)]

Specification for Horizontal End Suction Centrifugal Pumps for Chemical Process

AN AMERICAN NATIONAL STANDARD



ASME B73.1-2012 [Revision and Consolidation of ASME B73.1-2001 (R2007) and ASME B73.5M-1995 (R2007

Specification for Horizontal End Suction Centrifugal Pumps for Chemical Process

AN AMERICAN NATIONAL STANDARD



Date of Issuance: October 11, 2013

This Standard will be revised when the Society approves the issuance of a new edition. There will be no written interpretations of the requirements of this Standard issued to this edition.

Periodically certain actions of the ASME B73 Committee may be published as Cases. Cases are published on the ASME Web site under the Committee Pages at http://cstools.asme.org/ as they are issued.

Errata to codes and standards may be posted on the ASME Web site under the Committee Pages to provide corrections to incorrectly published items, or to correct typographical or grammatical errors in codes and standards. Such errata shall be used on the date posted.

The Committee Pages can be found at http://cstools.asme.org/. There is an option available to automatically receive an e-mail notification when errata are posted to a particular code or standard. This option can be found on the appropriate Committee Page after selecting "Errata" in the "Publication Information" section.

ASME is the registered trademark of The American Society of Mechanical Engineers.

This code or standard was developed under procedures accredited as meeting the criteria for American National Standards. The Standards Committee that approved the code or standard was balanced to assure that individuals from competent and concerned interests have had an opportunity to participate. The proposed code or standard was made available for public review and comment that provides an opportunity for additional public input from industry, academia, regulatory agencies, and the public-at-large.

ASME does not "approve," "rate," or "endorse" any item, construction, proprietary device, or activity.

ASME does not take any position with respect to the validity of any patent rights asserted in connection with any items mentioned in this document, and does not undertake to insure anyone utilizing a standard against liability for infringement of any applicable letters patent, nor assumes any such liability. Users of a code or standard are expressly advised that determination of the validity of any such patent rights, and the risk of infringement of such rights, is entirely their own responsibility.

Participation by federal agency representative(s) or person(s) affiliated with industry is not to be interpreted as government or industry endorsement of this code or standard.

ASME accepts responsibility for only those interpretations of this document issued in accordance with the established ASME procedures and policies, which precludes the issuance of interpretations by individuals.

No part of this document may be reproduced in any form, in an electronic retrieval system or otherwise, without the prior written permission of the publisher.

The American Society of Mechanical Engineers Two Park Avenue, New York, NY 10016-5990

Copyright © 2013 by THE AMERICAN SOCIETY OF MECHANICAL ENGINEERS All rights reserved Printed in U.S.A.

CONTENTS

Forewo	ord	\mathbf{v}
Commi	ittee Roster	vii
Correst	oondence With the B73 Committee	viii
1	Scope	1
2	References	1
3	Alternative Designs	5
4	Nomenclature and Definitions	6
4.1	Definitions of Terms	6
4.2	Additional Definitions	6
5	Design and Construction Features for Metallic Pumps	6
5.1	Pressure and Temperature Limits	6
5.2	Flanges	6
5.3	Casing	6
5.4	Impeller	7
5.5	•	7
	Shaft	•
5.6	Shaft Sealing	8
5.7	Bearings, Lubrication, and Bearing Frame	11
5.8	Materials of Construction	12
5.9	Corrosion Allowance	12
5.10	Direction of Rotation	12
5.11	Dimensions	12
5.12	Miscellaneous Design Features	12
6	Design and Construction Features for Thermoplastic and Thermoset Polymer	
	Material Pumps	15
6.1	Pressure and Temperature Limits	15
6.2	Flanges	16
6.3	Casing	16
6.4	Impeller	17
6.5	Shaft	17
6.6	Shaft Sealing	17
6.7	Bearings, Lubrication, and Bearing Frame	17
6.8	Materials of Construction	20
6.9	Corrosion Allowance	20
6.10	Direction of Rotation	20
6.11	Dimensions	20
6.12	Miscellaneous Design Features	20
6.13	Inserts and Connecting Fasteners for Thermoplastic and Thermoset Polymer	20
0.13	Material Pumps	21
7	General Information	21
7.1	Application	21
7.1	Tests and Inspections	24
7.2	Nameplates	25
	•	
8	Documentation	25
8.1	General	25
8.2	Requirements	25

8.3	Document Description	25
8.4	Specially Requested Documentation	28
Figures		
5.5.3-1	Shaft Sleeve Runout	7
5.6.2-1	Cylindrical Seal Chamber	8
5.6.2-2	Self-Venting Tapered Seal Chamber	9
5.6.2.1-1	Seal Chamber Face Runout	9
5.6.2.1-2	Seal Chamber Register Concentricity	9
5.6.3-1	Universal Cover	10
5.6.4-1	Packing Box	11
5.12.8-1	Pump With C-Face Motor Adapter, Short Coupled	16
6.6.3-1	Backplate With Seal Chamber	18
6.6.5-1	Backplate With Clamp Ring	19
8.3.1-1	Sample Outline Drawing	26
Tables		
1-1	Pump Dimensions	2
1-2	Baseplate Dimensions	4
5.8.1.2-1	Pump Material Classification Codes	13
5.8.1.3-1	ASTM Material Specifications	14
5.8.3.1-1	Minimum Requirements for Auxiliary Piping Materials	15
6.1.1.1-1	Thermoplastic and Thermoset Pump Minimum Design Pressures	16
7.1.5-1	Approximate Hydraulic Coverage, 50 Hz	22
7.1.5-2	Approximate Hydraulic Coverage, 60 Hz	23
7.1.6-1	Minimum Continuous Flow	24
Mandator	y Appendices	
I	ASME Centrifugal Pump Data Sheet	29
II	Mechanical Seal and Packing Configuration Codes	34
Nonmand	atory Appendix	
A	Electronic Data Exchange	36