FORM Q-120 PROCEDURE SPECIFICATION FOR CLASS II VESSELS (Revision E — 2023) Part I — Fabrication

PROCEDURE SPECIFICATION NUMBER:_

NOTE: Procedure Specification Form Q-120 for Class II vessels consists of three parts. Part I, Fabrication, shall be completed for each separately fabricated reinforced plastic vessel part. It shall specify the materials, ply sequence, ply orientation, and procedure used to fabricate the part. Part I must be accompanied by Parts II and III.

Essential design variables shall be established during design. Any deviation during fabrication must be so noted and qualified by the Design Engineer.

I. FABRICATION IDENTIFICATION DATA

Α.	Vessel Identification				
	Fabricator Name:				
В.	Vessel Part Identification				
	Part Name or Number:	Date Fabricated:			
	Fabricator Procedure No.:	Procedure Date:			
	(Ref. RQ-110 and Appendix 1, 1-100)				
C.	Registered Engineer Certifying the Design				

II. ESSENTIAL DESIGN VARIABLES (To be established during design)

A. Materials for Vessel Part

Fiber Reinforcements	Manufacturer	Mfg. No.	Material Type (Glass, etc.)	Material Form (Mat, etc.)
1. Material No. 1				
 Material No. 2 Material No. 3 				
5. Material No. 5				
			Material Type	
Resin System	Manufacturer	Mfg. No.	(Epoxy, etc.)	
1. Resin				
2. Catalyst				
3. Promoter				
Part Fabrication				
1. Liner (if applicable)				
a. Composite Liner (if a	applicable)			
Ply No		to Ply No		
Thickness				
b. Thermoplastic Liner	(if applicable)			
Material		Manufacturer	M1	fg. No
Thickness		Bonding Method		

Β.

FORM Q-120 (CONT'D) PROCEDURE SPECIFICATION FOR CLASS II VESSELS (Revision E — 2023) Part I — Fabrication (Cont'd)

2. Laminate Construct	on:		
		(filament wound, contact molded, or both)	
	Drientation (No. 1 ply is next to join		
Ply No.	Fiber Material No.	Fiber Orientation	Reference Axis
	(Use	additional sheets if necessary)	
3. Cure Method	Post Cure		hr
4. Design Barcol Hard	ness	(Temperature) ±	
5. Design Percent Fibe	er by Weight (Filament Wound)	% ±	%
6. Design Percent Fibe	er by Weight (Contact Molded)	% ±	%
-		Spacing	
8. Fillers/Pigments:	Material	Use	_Location
-			
III. ENGINEERING CONSTAN	ITS		
Documentation of Lamina I	Properties: Material Property Data	Report No	
IV. QUALIFICATION			
Part		for Vessel No	
Date Fabricated:		Date Tested:	
- ·			
ASIVIE Section X	Edition Year		e Case No.

FORM Q-120 (CONT'D) PROCEDURE SPECIFICATION FOR CLASS II VESSELS (Revision E — 2023) Part I — Fabrication (Cont'd)

A.	Identification of Materials Use	Fabrication	
	1. Reinforcements	Batch Number	
	a. Material No. 1		
	c. Material No. 3		
	2. Resin		
	3. Catalyst		
	4. Promoters		
В.	Resin Data (for each batch n	er)	
	1. Batch No.		
	2. Resin Viscosity		
	3. Promotion Rate (ppm)		
	4. Catalyst Rate (ppm)		
	5. Gel Time (min.)		
С	Fabrication Compliance [see	110(c)]	
		rom the essential design variables listed in Section II above. The Fabricator sha tem (Appendix 1) that the essential variables established for design are complied	
	1		
	2		
	3		
		(Use additional sheets if necessary)	
D.	Results of Quality Checks (R		
	1. Visual Check		
	2. Thickness and Dimensio	Checks	
	3. Barcol Hardness Check		
	4. Thermoplastic Liner Integ		

FORM Q-120 (CONT'D) PROCEDURE SPECIFICATION FOR CLASS II VESSELS (Revision E — 2023) Part I — Fabrication (Cont'd)

E.	E. Qualification Test (Attach Acceptance Test Report)			
	Passed:	Failed:		
F.	Certification			
	We certify that the statements made in Part I of this S	pecification are correc	t.	
	Date:	Signed:	(Fabricator)	
			(Pablicator)	
		Ву:		
	Certificate of Authorization No.:	Expires:		
	CERTIFICATIO OF QUALIFICATION OF DE	ON BY SHOP INSPE		
Pro	cedure Specification of	at		
for				
	User)	n Specification and	(Fabricator)	
Des	ign Report Number and Revision			
	e undersigned, holding a valid commission issued by employed by		-	
doc com	e inspected the components described in Part I of the F umenting its fabrication and state that, to the best o ponent(s) in accordance with this Procedure Specificat sel Code, Fiber-Reinforced Plastic Pressure Vessels.	f my knowledge and	belief, the Fabricator has fabricated the vessel	
the emp	igning this certificate neither the Inspector nor the Inspector design or procedure covered by the Fabricator's De loyer shall be liable in any manner for any personal inju inspection.	esign Report. Further	more, neither the Inspector nor the Inspector's	
Dat	e Commission	(Nati	onal Board Authorized Inspector Number)	
	(Authorized Inspector's signa	ture)		

FORM Q-120 (CONT'D) PROCEDURE SPECIFICATION FOR CLASS II VESSELS (Revision E — 2023) Part II — Assembly

PROCEDURE SPECIFICATION NUMBER AND REVISION ___

NOTE: Procedure Specification Form Q-120 for Class II vessels consists of three parts. Part II, Assembly, shall be completed for each secondary lay-up required to join two or more separately fabricated parts. It shall detail the materials, dimensions, and ply sequences of the secondary overlay. Part II, if applicable, must be accompanied by Parts I and III.

Essential design variables shall be established during design. Any deviation during fabrication must be so noted and qualified.

I. ASSEMBLY IDENTIFICATION DATA

A. Vessel Identification

Β.

Fabricator Name: Name of User:	
Secondary Bond Joint Identification	
Fabricator Procedure No.:	Procedure Date:
Bond to Join Vessel Part A:	to Vessel Part B:

II. ESSENTIAL DESIGN VARIABLES

A. Materials for Secondary Overlay

	Fiber			Material Type	Material Form
	Reinforcements	Manufacturer	Mfg. No.	(Glass, etc.)	(Mat, etc.)
	1. Material No. 1 —				
	2. Material No. 2				
	3. Material No. 3				
				Material Type	
	Resin System	Manufacturer	Mfg. No.	(Epoxy, etc.)	
	1. Resin				
	2. Catalyst				
	3. Promoter				
В.	Surface Preparation				
	1. Method				
	2. Distance From Mating Joint:	Part A			in.
		Part B			in.

FORM Q-120 (CONT'D) PROCEDURE SPECIFICATION FOR CLASS II VESSELS (Revision E — 2023)

Part II — Assembly (Cont'd)

	licable)					
a. Number of Plies _		Thickness				
b. Length of Overlay ((do not include taper): Part A _	Part B				
c. Ply Sequence and	Orientation (No. 1 ply is next to join	ned parts)				
Ply No.	Fiber Material No.	Fiber Orientation		Reference Axis		
	(Use addition	onal sheets if necessary)				
d. Overlay Terminatio	Overlay Termination: Taper over a distance of					
e. Percent Fiber Cont	ent by Weight					
f. Barcol Hardness _ 2. Exterior Surface						
 f. Barcol Hardness _ 2. Exterior Surface a. Number of Plies _ 		Thickness				
 f. Barcol Hardness _ 2. Exterior Surface a. Number of Plies _ 						
 f. Barcol Hardness _ f. Exterior Surface a. Number of Plies _ b. Length of Overlay (do not include taper): Part A _	Thickness				
 f. Barcol Hardness _ 2. Exterior Surface a. Number of Plies _ b. Length of Overlay (c. Ply Sequence and (do not include taper): Part A Orientation (No. 1 ply is next to joir	——— Thickness —— ned parts)				
 f. Barcol Hardness _ f. Exterior Surface a. Number of Plies _ b. Length of Overlay (do not include taper): Part A _	Thickness				
 f. Barcol Hardness _ 2. Exterior Surface a. Number of Plies _ b. Length of Overlay (c. Ply Sequence and (do not include taper): Part A Orientation (No. 1 ply is next to joir	——— Thickness ——— ned parts)				
 f. Barcol Hardness _ 2. Exterior Surface a. Number of Plies _ b. Length of Overlay (c. Ply Sequence and (do not include taper): Part A Orientation (No. 1 ply is next to joir	——— Thickness ——— ned parts)				
 f. Barcol Hardness _ 2. Exterior Surface a. Number of Plies _ b. Length of Overlay (c. Ply Sequence and (do not include taper): Part A Orientation (No. 1 ply is next to joir	——— Thickness ——— ned parts)				
 f. Barcol Hardness _ 2. Exterior Surface a. Number of Plies _ b. Length of Overlay (c. Ply Sequence and (do not include taper): Part A Orientation (No. 1 ply is next to joir	——— Thickness ——— ned parts)				
 f. Barcol Hardness _ 2. Exterior Surface a. Number of Plies _ b. Length of Overlay (c. Ply Sequence and (do not include taper): Part A Orientation (No. 1 ply is next to joir	——— Thickness ——— ned parts)				
 f. Barcol Hardness _ 2. Exterior Surface a. Number of Plies _ b. Length of Overlay (c. Ply Sequence and (do not include taper): Part A Orientation (No. 1 ply is next to joir	——— Thickness ——— ned parts)				
 f. Barcol Hardness _ 2. Exterior Surface a. Number of Plies _ b. Length of Overlay (c. Ply Sequence and (do not include taper): Part A Orientation (No. 1 ply is next to joir	——— Thickness ——— ned parts)				
 f. Barcol Hardness _ 2. Exterior Surface a. Number of Plies _ b. Length of Overlay (c. Ply Sequence and (do not include taper): Part A Orientation (No. 1 ply is next to joir	——— Thickness ——— ned parts)				

FORM Q-120 (CONT'D) **PROCEDURE SPECIFICATION FOR CLASS II VESSELS** (Revision E — 2023) Part II — Assembly (Cont'd)

QUALIFICATION	
Secondary Overlay to Join Part A:	to Part B:
Design Report Number and Revision	Test Report No
ASME Section X	
Edit	tion Year Code Case No.
A. Identification of Materials Used in Assembly	·
1. Reinforcements	Batch Number
a. Material No. 1	
b. Material No. 2	
c. Material No. 3	
2. Resin	
3. Catalyst	
4. Promoters	
B. Resin Data (for each batch number)	
1. Batch No.	
2. Resin Viscosity	
3. Promotion Rate (ppm)	
5. Gel Time (min.)	
C. Fabrication Compliance [see RF-110(c)]	
shall document as part of his Quality Cor complied with during fabrication. 1	essential design variables listed in Section II of this form (Part II). The Fabricato ntrol System (Appendix 1) that the essential variables established for design are
3	
	(Use additional sheets if necessary)
D. <u>Certification</u>	(
We certify that the statements made in Part	II of this Specification are correct.
Date:	Signed:(Fabricator)
	By:
Certificate of Authorization No.:	Expires:

FORM Q-120 (CONT'D) PROCEDURE SPECIFICATION FOR CLASS II VESSELS (Revision E — 2023) Part II — Assembly (Cont'd)

CERTIFICATION BY SHOP INSPECTOR OF QUALIFICATION OF DESIGN AND FABRICATION PROCEDURE

Procedure Specification of	at			
for		_ process of fabricating vessel(s) described in		
(User)	Design Specification and	(Fabricator)		
	Design Report Number ar	nd Revision		
I, the undersigned, holding a valid commission and employed by		•		
of have inspected the assembly joint of the components described in Part II of the Procedure Specification and have examined the Quality Control records documenting this assembly and state that, to the best of my knowl- edge and belief, the Fabricator has assembled the components to satisfy the requirements of Section X of the ASME Boiler and Pressure Vessel Code, Fiber-Reinforced Plastic Pressure Vessels.				
the design or procedure covered by the Fabrica	ator's Design Report. Furthermore,	es any warranty, expressed or implied, concerning neither the Inspector nor the Inspector's employer as of any kind arising from or connected with this		
Date	Commission(Nati	onal Board Authorized Inspector Number)		
(Authorized I	nspector's signature)			

(07/23)

FORM Q-120 (CONT'D) PROCEDURE SPECIFICATION FOR CLASS II VESSELS (Revision E — 2023) Part III — Summary

PROCE	EDURE SPECIF	ICATION NUMBER	R:		
NOTE:	fabrication pro		pricate the inc	lividual parts of the	ts of three parts. Part III, Summary, shall compile the various e vessel and then join them into a completed vessel assembly
A.	VESSEL IDEN	TIFICATION			
	Fabricator Nar	ne:			_ Fabricator Vessel No.:
	Name of User:				_ User Vessel Number:
В.	SUMMARY OF	FABRICATION P	ROCEDURE	<u>6</u> (Part I)	
	No.	Par	t Identificatio	n	Fabricator's Procedure No.
	1				
	2				
	3				
	4				
	5				
	6				
C.	No. 1 2 3 4 5 6	ASSEMBLY PRO	to	Part II)	Fabricator's Procedure No.
D.	QUALIFICATIO	N			
		he statements mad	e in Part III o	f this Specification	are correct
	we contry that t				
I	Date:			Signed: _	(Fabricator)
				Ву:	
(Certificate of Au	thorization No.: -		—— Expires:	
	ASME Section >	κ			
			Edition		Code Case No.

FORM Q-120 (CONT'D) PROCEDURE SPECIFICATION FOR CLASS II VESSELS (Revision E — 2023) Part III — Summary (Cont'd)

OF QUA	CERTIFICATION BY SHOP INSPEC			
Procedure Specification of	at			
for		_ process of fabricating vessel(s) described in		
(User)	Design Specification and	(Fabricator)		
Design Report Number and Revision_				
I, the undersigned, holding a valid commission issued by the National Board of Boiler and Pressure Vessel Inspectors and employed by				
have witnessed the tests by which the design of the vessel(s) and the fabrication procedure have been qualified and state that, to the best of my knowledge and belief, these tests and the fabrication procedure employed in constructing the vessel(s) satisfy the requirements of Section X of the ASME Boiler and Pressure Vessel Code, Fiber-Reinforced Plastic Pressure Vessels.				
By signing this certificate neither the Inspector nor the Inspector's employer makes any warranty, expressed or implied, concerning the design or procedure covered by the Fabricator's Design Report. Furthermore, neither the Inspector nor the Inspector's employer shall be liable in any manner for any personal injury or property damage or loss of any kind arising from or connected with this inspection.				
Date				
(National Board Authorized Inspector Number)				
	(Ivan			
(Au	thorized Inspector's signature)			